

Spot The Safety Violation: Confined Spaces in Plain Sight



These grain silos pose a serious safety hazard to the workers on this farm. Do you know what it is'

March 13-19, 2016 is [Canadian Agricultural Safety Week](#), which is aimed at raising awareness of health and safety issues on farms and ranches. Why is a whole week devoted to safety in

this industry sector' Because agriculture is one of the most hazardous industries for workers.

Workers on farms and ranches face many types of safety hazards, from entanglement in farming equipment and rollovers in powered-mobile equipment such as tractors to being trampled by farm animals.

For instance, the grain silos in this picture may look innocuous at first. But they are, in fact, confined spaces and so expose workers to various safety hazards, such as the risk of exposure to toxic atmospheres and the risk of engulfment in the grain contained in the silos.

Example: A 35-year-old farm worker in Alberta entered a silo to chip down cattle grain stuck to its walls, while a co-worker stood outside to shovel out the fallen grain. But when his co-worker left briefly to get a longer pole, the grain collapsed onto the worker, smothering him to death.

Take 5 Steps to Protect Workers in Confined Spaces

The silos in the picture would be [considered confined spaces](#) under the OHS laws across Canada because they:

- Are completely or partially enclosed;
- Aren't designed or intended for continuous human occupancy but large enough for a worker to enter;
- Have restricted or limited means of entrance and exit; and
- Are or may become hazardous to anyone entering them because of their design, location, etc.

Because the silos are [confined spaces](#), the OHS laws would require employers to take measures to protect any farm workers when working in these silos, such as the following steps:

Step #1: [Identify confined spaces](#), such as tanks, silos, ditches, excavations, etc., so you can ensure that you have

the appropriate safety measures in place for work in such spaces.

Step #2: [Assess the hazards](#) related to those spaces'such as engulfment or inadequate oxygen levels'and implement appropriate safety measures to address the identified hazards.

Step #3: Develop a [confined space entry permit system](#) to control access to the spaces.

Step #4: When workers enter a confined space, there should be a standby person or [confined space attendant](#) there to monitor the work and conditions or to summon help if necessary.

Step #5: Have [an emergency and rescue plan](#) to protect both workers in confined spaces and anyone who tries to come to their aid (about 60% of the workers killed in confined spaces are would-be rescuers).